# 50HZ 40kw Diesel Generator Set 50kva 3 Phase BFM3C Engine Diesel Generator

## **Basic Information**

Place of Origin: CHINA
Brand Name: DELLENT
Certification: CE ISO
Model Number: DE-DD55

Minimum Order Quantity: 1\*20GP CONTAINER
 Price: USD3000-4000
 Packaging Details: PLASTIC WRAP

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, Western UnionSupply Ability: 500 PCS PER MONTH



## **Product Specification**

Name: 40kw Diesel GeneratorController: Smartgen/Deepsea/ComAp

Cooling System: Water Cooling

Frequency: 50HZInsulation Class: H

Noise Level: ≤75dB(A)
 Phase: Three Phase
 Power: Diesel Generator

• Protection Grade: IP23

Prime Power: 40kW/50kVAStandby Power: 44kW/55kVA

• Highlight: 40kw Diesel Generator,

Diesel Generator Set 50kva, 50kva 3 Phase Generator

## **Product Description**

High Commercial Deutz 50kVA Generator , BFM3C Engine Diesel Generator ,

Light: CE Deutz 50kva Generator

## .PRODUCT DESCRIPTION

CE Commercial 40kW Deutz 50kVA Generator BFM3C Engine Diesel Generator

### Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations. For example: Healthcare, Data Centers, Telecommunications, Construction, Manufacturing, Oil and Gas, Military, Residential electricity.

### Advantage of our Deutz diesel generator:

Deutz diesel generator have a sturdy housing Longer lifespan Lower maintenance costs Lower noise level Faster delivery time Better team service Higher level technical support.



### **Product parameters:**

# Specification of 50kVA Deutz Diesel Generator Set:

Model		DE-DD55
Max. Power	kVA	55
	kW	44
Rate Power	kVA	50
	kW	40
Frequency	Hz	50
Rate Voltage	V	400/230

Rate Current	A	72.2
Specification of Deutz Alternator:		
Engine Manufacturer		Deutz (Dalian) Engine Co., Ltd.
Engine Brand		Deutz
Engine Model		BFM3C
No. of Cylinder		4 Cylinder in line
Aspiration		Turbocharger, after-cooled
Governor		Electric
Engine Max. Output Power	kW	50
Displacement	L	3.2
Compression Ratio	'	18.5 : 1
Starting Voltage	V	12
Bore	mm	98
Stroke	mm	105
Lubrication Oil Capacity	L	7.5
Intake Air Flow	M3/Mi	n N.A.
Fuel Consumption at 100% Load	L/H	11.2
Specification of Control Panel:	1	
Controller Brand		Smartgen
Breaker Brand		Delixi
Breaker Capacity (A)		100

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

**Emergency Stop Button** 

Fuel Level

Automatic Mains Fail (AMF)

Automatic Transfer Switch

. Why Choose Us:

Supply

Supply

Supply

ATS as optional part



We are DEDICATED to meet Customers' need.

We respond to our Customers' ENTHUSIASM

We cherish our Customers' LOYALTY

We aim to establish our own LUXURY brand

# cient

We offer our EFFICIENT service

# ewest

We adopt NEWEST technologies for products

We strive for winning the TRUST from Customers

# . QUALIFICATION CENTIFICATE:



















## . FACTORY INTERIOR:













FAQ Q: What's your delivery time? A: Standard product 20 days - 30 days.

Q: Can we add our logo to products? A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

If you need Deutz generator with other models technical data, kindly contact us for catalogues!



# Fuan Dellent Electric & Machinery Co., Ltd.





+8613706938606 jennifer@dellent.com dellentpower.com



NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECITY,FUJIAN.CHINA