

Standby Power Deutz Diesel Generator Set 60Hz 250kVA BF6M1013FCG3

Basic Information

Place of Origin: CHINA
Brand Name: DELLENT
Certification: CE ISO
Model Number: DE-HD250

• Minimum Order Quantity: 1*20GP CONTAINER

Price: face to facePackaging Details: PLASTIC WRAP

• Delivery Time: 30 DAYS

Payment Terms: L/C, T/T, Western UnionSupply Ability: 500 PCS PER MONTH



Product Specification

Controller: Smartgen/Deepsea/ComAp

Cooling System: Water Cooling

Frequency: 60HZInsulation Class: H

Noise Level: 72dBA At 7M
Phase: Three Phase
Power: Diesel Generator

• Protection Grade: IP23

Prime Power: 180kW/225kVA
Standby Power: 200kW/250kVA
Engine Model: BF6M1013FCG3

• Highlight: Standby Power Deutz Diesel Generator,

ISO Deutz Diesel Generator Set, Deutz Generator Set 250kVA

Product Description

High Commercial Deutz 250kVA Generator , BF6M1013FCG3Engine Diesel Generator ,

Light: CE Deutz 250kva Generator ,60HZ

.PRODUCT DESCRIPTION

BF6M1013FCG3 60Hz 250kVA Standby Power Deutz Diesel Generator Set

Product Introduce:Deutz engine diesel generator we have all series from rated 20kva to 750kva

Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing Longer lifespan
Lower maintenance costs
Lower noise level
Faster delivery time
Better team service
Higher level technical support.



Product parameters:

| Specification: | | | |
|-------------------------------|--------|----------|--|
| Model | | DE-HD250 | |
| Standby Power | kVA | 250 | |
| | kW | 200 | |
| Prime Power | kVA | 225 | |
| | kW | 180 | |
| Frequency | Hz | 60 | |
| Output Voltage | V | 240 | |
| Specification of Deutz Altern | nator: | | |

| Output Voltage | V | 240 |
|-----------------------------------|--------|--------------------|
| Specification of Deutz Alternator | ·: ' | |
| Engine Model | | BF6M1013FCG3 |
| No.of Cylinder | | 6 Cylinder in line |
| Bore | mm | 108 |
| Stroke | mm | 130 |
| Displacement | L | 7.146 |
| Cooling Fan Air Flow | m³/min | N.A. |
| Compress Air Flow | m³/min | N.A. |
| Exhaust Gas Flow | m³/min | N.A. |
| Exhaust Gas Temperature | | 530 |
| Lubrication Oil Capacity | L | 20 |
| Cooling Water Capacity | L | 27.3 |
| Starting Voltage | V | 12 |
| Engine Max.Output Power | kW | 201 |
| Specification of Control Panel: | | ı |

We also have Leroy Somer, Marathon, Mecc Alte and Chinese brand Brushless alternator for your choice.

. Why Choose Us:

We are DEDICATED to meet Customers' need.

We respond to our Customers' ENTHUSIASM

We cherish our Customers' LOYALTY

We aim to establish our own LUXURY brand

cient

We offer our EFFICIENT service

wesi

We adopt NEWEST technologies for products

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:













FAQ Q: What's your delivery time? A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?
A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product? A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system

| If you need Deutz generator with other models technical data, kindly contact us for catalogues! | | | |
|---|---|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | ı | | |

Fuan Dellent Electric & Machinery Co., Ltd.





jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECITY,FUJIAN.CHINA